Practice: 649 - Structures for Wildlife Scenario: #1 - Nesting Box, Small no pole

## **Scenario Description:**

A structure is provided to support the nesting and rearing of smaller targeted species, such as bees and birds, and is directly mounted to a tree, building or other structure. Addresses resource concern for wildlife of inadequate cover/shelter.

### **Before Situation:**

The area lacks sufficient nesting habitat sites (natural cavities). A suitable location to mount the box is available.

### **After Situation:**

The installation of nesting and rearing boxes support the life-cycle needs of targeted species, such as birds, bats and pollinators. These structures/features enhance habitat, cover, and improve species survivability.

Scenario Feature Measure: Number of structures

Scenario Unit: Each
Scenario Typical Size: 1

Scenario Cost: \$40.65 Scenario Cost/Unit: \$40.65

Cost Details (by cate	gory):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	0.5	\$10.16
Materials						
Habitat Box, Bird	251	Bluebird nesting box to increase nesting success. Each is $1-1/2$ " x $6$ " x $12-1/2$ " w/ $1-1/2$ " diameter opening. Includes materials and shipping.	Each	\$30.49	1	\$30.49

Scenario: #2 - Nesting Box, Small, with wood pole

## **Scenario Description:**

Constructing a nest box and mounting on a pole. A structure is provided to support the nesting and rearing of targeted species, such as pollinators and birds. Trees, buildings or other structures are not available. These structures are designed to meet targeted species biology and life history needs. Addresses Resource Concern: Inadequate Cover/Shelter.

#### **Before Situation:**

This area lacked sufficient nesting sites to support viable populations of targeted species. Location and conditions suggest that predator guards are not needed.

## **After Situation:**

The installation nesting and rearing boxes support the life-cycle needs of targeted species, such as blue birds and waterfowl. Location and conditions suggest that predator guards are not needed. These structures/features enhance habitat, cover, and improve species survivability.

**Scenario Feature Measure:** Number of structures with poles.

Scenario Unit: Number Scenario Typical Size: 1

Scenario Cost: \$60.69 Scenario Cost/Unit: \$60.69

<b>Cost Details (by category</b>	):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	0.75	\$15.24
Materials						
Post, Wood, CCA treated, 6" x 8'	12	Wood Post, End 6" X 8', CCA Treated. Includes materials and shipping only.	Each	\$14.96	1	\$14.96
Habitat Box, Bird	251	Bluebird nesting box to increase nesting success. Each is 1-1/2" x 6" x 12-1/2" w/ 1-1/2" diameter opening. Includes materials and shipping.	Each	\$30.49	1	\$30.49

Scenario: #3 - Nesting Box, Large

## **Scenario Description:**

A structure is provided to support the nesting and rearing of larger targeted species such as waterfowl, bats and barn owls, and is directly mounted to a tree, building or other structure. These structures are designed to meet targeted species biology and life history needs. Addresses Resource Concern: Inadequate Cover/Shelter.

#### **Before Situation:**

The area lacks sufficient overall habitat conditions to support viable populations of targeted species. A suitable location to mount the box is available. Predator guards not needed.

#### **After Situation:**

The installation of nesting and rearing boxes support the life-cycle needs of targeted species, such as birds, bats and pollinators. Because of suitable location and conditions the nesting box can be directly mounted such as on a tree or building, thereby eliminating the need for mounting poles and predator guards. Species such as cavity dwelling birds and pollinators use this approach, but this treatment is not limited to those species. These structures/features enhance habitat, cover, and improve species survivability.

**Scenario Feature Measure:** Number of structures.

Scenario Unit: Each
Scenario Typical Size:

Scenario Cost: \$81.71 Scenario Cost/Unit: \$81.71

Cost Details (by category): Price **Component Name Component Description** Unit **Quantity Cost** (\$/unit) Labor General Labor 231 Labor performed using basic tools such as power tool, Hour \$20.32 0.5 \$10.16 shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. Materials 1449 Wood Duck Box, typically 24" x 11" x 12" with 4" wide oval Each \$71.55 \$71.55 Habitat Box, waterfowl 1 entrance, single. Includes material and shipping only.

Scenario: #4 - Nesting Box or Rapture Perch, Large, with Pole

## **Scenario Description:**

Constructing a nest box or rapture perch on a steel pole with a predator guard where needed. A structure is provided to support the nesting and rearing of larger targeted species such as wood ducks, bats, barn owls or to provide needed perches or nesting structures for raptures. Addresses Resource Concern: Inadequate Cover/Shelter.

#### **Before Situation:**

The area lacks sufficient overall nesting sites to support viable populations of targeted species. Predator guards provide needed protection of target species during nesting and rearing.

### **After Situation:**

The installation of pole mounted nesting and rearing boxes support the life-cycle needs of targeted species, such as bats and waterfowl.

Scenario Feature Measure: Number of structures

Scenario Unit: Each

Scenario Typical Size: 1

Scenario Cost: \$363.24 Scenario Cost/Unit: \$363.24

Cost Details (by category):						
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Concrete, CIP, formless, non reinforced	36	Non reinforced concrete cast-in-placed without forms by chute placement. Typical strength is 3000 to 4000 psi. Includes materials, labor and equipment to transport, place and finish.	Cubic yard	\$114.12	0.1	\$11.41
All terrain vehicles, ATV	965	Includes equipment, power unit and labor costs.	Hour	\$31.02	0.5	\$15.51
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	1.5	\$30.48
Materials						
Pipe, steel, galvanized, threaded, 1¼ ", schedule 40	256	Spec. A-53, includes coupling and clevis hanger assembly sized for covering, 10' OC	Foot	\$20.50	10	\$205.00
Habitat Box, waterfowl	1449	Wood Duck Box, typically 24" x 11" x 12" with 4" wide oval entrance, single. Includes material and shipping only.	Each	\$71.55	1	\$71.55
Predator Guard	1461	Predator guards (i.e. stove pipes, cone, hole guard, etc.) for habitat boxes. Materials only. Includes material and shipping only.	Each	\$29.29	1	\$29.29

Scenario: #5 - Escape Ramp

# **Scenario Description:**

Retrofit an existing watering trough/tank with an appropriately designed and installed wildlife escape ramp to reduce wildlife mortality and maintain water quality within the watering facility.

### **Before Situation:**

Existing watering facilities lack escape potential for wildlife. This results in death of the small wildlife accessing the facility for water, and resulting poor water quality as the animal decays.

## **After Situation:**

Watering facilities provide wildlife safe access. Water quality is improved within the watering facility and wildlife mortality is reduced.

Scenario Feature Measure: Each Ramp

Scenario Unit: Each
Scenario Typical Size: 1

Scenario Cost: \$34.63 Scenario Cost/Unit: \$34.63

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Labor						
General Labor	23	1 Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	0.5	\$10.16
Materials						
Wildlife Escape Ramp	24	2 Pool size 15' x 30', for small mammals less than one pound	Each	\$24.47	1	\$24.47

Scenario: #6 - Fence Markers, Vinyl Undersill

## **Scenario Description:**

Existing fences are retrofitted with vinyl markers that increase wire visibility and reduce mortality due to collision for wildlife species of concern. Markers are installed approximately every 3 feet along top wire. Scenario is typically implemented along fences in potential high risk areas (red areas in SGI Fence Collision Risk Model) or where a known problem exists.

### **Before Situation:**

Wire fences located in high risk areas pose a collision threat to wildlife of special concern.

## **After Situation:**

Fence related mortality of species of special concern is reduced.

Scenario Feature Measure: feet of fence marked

Scenario Unit: Linear Foot Scenario Typical Size: 1,320

Scenario Cost: \$169.91 Scenario Cost/Unit: \$0.13

Cost Details (by catego	ry):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
All terrain vehicles, ATV	96	5 Includes equipment, power unit and labor costs.	Hour	\$31.02	0.5	\$15.51
Labor						
General Labor	23	1 Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	5	\$101.60
Materials						
Vinyl Undersill Strips	24	1 Marking material using the "undersill" strips of vinyl siding made by Georgia Pacific. Priced per foot of fence per each wire. Materials only.	Foot	\$0.04	1320	\$52.80

Scenario: #7 - Brush Pile, Small

# **Scenario Description:**

Small brush piles are created to provide shrubby/woody escape cover for wildlife. Pushing or cutting of select small trees and placement in selected locations to provide wildlife cover. Typical scenario of 10' x 20' area for structure covered by interlocking limbs of trees less than 12 inches in diameter.

### **Before Situation:**

The existing habitat lacks escape, ground nesting and safe loafing cover.

## **After Situation:**

Small brush piles provide needed escape, ground nesting and safe loafing cover for targeted wildlife species.

Scenario Feature Measure: brush piles

Scenario Unit: Each
Scenario Typical Size: 1

Scenario Cost: \$32.89 Scenario Cost/Unit: \$32.89

Cost Details (by categor	y):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Skidsteer, 80 HP		Skidsteer loader with horsepower range of 60 to 90. Equipment and power unit costs. Labor not included.	Hour	\$43.69	0.5	\$21.85
Labor						
Equipment Operators, Light		Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.08	0.5	\$11.04

Practice: 649 - Structures for Wildlife Scenario: #8 - Downed Tree Structure

## **Scenario Description:**

Downed tree structures will be created to provide shrubby/woody escape cover for wildlife. Felling of select trees and placement in selected locations to provide wildlife cover. Minimum 30' x 50' area for structure covered by interlocking limbs of trees at least 12" in diameter. Payment includes tree felling and placement. Facilitating practices may include but not limited to: Upland Wildlife Habitat Management (645), Wetland Creation (658), Wetland Restoration (657), Wetland Enhancement (659), Early Successional Habitat Management/Development (647), Prescribed Burning (338), Restoration and Management of Rare and Declining Habitats (643), and Conservation Cover (327).

### **Before Situation:**

A 40 acre operation managing for quail and other small game habitat. Shrubby/woody escape cover is often the missing habitat component for bobwhite quail and other small game in fields managed for upland wildlife wildlife.

#### **After Situation:**

The installation of a downed tree structure enhances the overall habitat needs of quail and other small game species. These structures/features enhance habitat and improve species survivability.

Scenario Feature Measure: area covered by structure

Scenario Unit: Each
Scenario Typical Size: 1

Scenario Cost: \$248.76 Scenario Cost/Unit: \$248.76

Cost Details (by category	y):			Price		
Component Name	ID	Component Description	Unit	(\$/unit)	Quantity	Cost
Equipment/Installation						
Chainsaw	937	Equipment and power unit costs. Labor not included.	Hour	\$6.37	2	\$12.74
Tractor, agricultural, 120 HP	962	Agricultural tractor with horsepower range of 90 to 140. Equipment and power unit costs. Labor not included.	Hour	\$55.29	2	\$110.58
Labor						
General Labor	231	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$20.32	4	\$81.28
Equipment Operators, Light	232	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.08	2	\$44.16

Practice: 649 - Structures for Wildlife Scenario: #9 - Edgefeathering, light

## **Scenario Description:**

Trees are cut and brush clipped in the border along a woodland edge using a tractor and chainsaw to create dense woody cover and a transitional area between a timbered edge and the adjacent land use such as cropland, pasture, or idle lands. The edge feathering will extend at least 30' wide, measured from the outside tree trunk and at least 50' long -- resulting in a minimum area of 1500 square feet covered by interlocking woody branches. Cut stumps will be treated with brush herbicide. Some hand placement of the cut trees is necessary. Facilitating practices may include but not limited to: Upland Wildlife Habitat Management (645), Wetland Creation (658), Wetland Restoration (657), Wetland Enhancement (659), Early Successional Habitat Management/Development (647), Prescribed Burning (338), Restoration and Management of Rare and Declining Habitats (643), and Conservation Cover (327).

#### **Before Situation:**

Forested land with a hard edge of mature trees immeditly adjacent to cropland or pasture. Woody cover is lacking for wildlife species such as rabbits, quail, songbirds and other wildlife species requiring dense woody cover near ground level. Average diameter of the main stand trees is 4 inches or less.

#### **After Situation:**

The cut trees serve as brush small piles, enhancing the overall habitat needs of wildlife species requiring dense woody cover and increase survival and the population of these species.

Scenario Feature Measure: area covered by edgefeathering

Scenario Unit: Linear Foot Scenario Typical Size: 1,320

Scenario Cost: \$486.42 Scenario Cost/Unit: \$0.37

Cost Details (by category): Price **Component Name Component Description** Unit **Quantity Cost** (\$/unit) Equipment/Installation \$6.37 Chainsaw 937 Equipment and power unit costs. Labor not included. Hour 13.2 \$84.08 Labor General Labor 231 Labor performed using basic tools such as power tool, Hour \$20.32 19.8 \$402.34 shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.

Practice: 649 - Structures for Wildlife Scenario: #10 - Edgefeathering, heavy

### **Scenario Description:**

Trees are cut and brush clipped in the border along a woodland edge using a tractor and chainsaw to create dense woody cover and a transitional area between a timbered edge and the adjacent land use such as cropland, pasture, or idle lands. The edge feathering will extend at least 30' wide, measured from the outside tree trunk and at least 50' long -- resulting in a minimum area of 1500 square feet covered by interlocking woody branches. Cut stumps will be treated with brush herbicide. Some hand placement of the cut trees is necessary. Facilitating practices may include but not limited to: Upland Wildlife Habitat Management (645), Wetland Creation (658), Wetland Restoration (657), Wetland Enhancement (659), Early Successional Habitat Management/Development (647), Prescribed Burning (338), Restoration and Management of Rare and Declining Habitats (643), and Conservation Cover (327).

#### **Before Situation:**

Forested land with a hard edge of mature trees immeditly adjacent to cropland or pasture. Woody cover close to the ground is lacking for wildlife species such as rabbits, quail, songbirds and other wildlife species requiring dense woody cover near ground level. Average diameter of the main stand trees is greater than 4 inches.

#### **After Situation:**

Creation of woody debris and small piles improves the overall habitat needs of wildlife species requiring dense woody cover and increase survival and the population of these species.

Scenario Feature Measure: area covered by edgefeathering

Scenario Unit: Linear Foot Scenario Typical Size: 1,320

Scenario Cost: \$915.78 Scenario Cost/Unit: \$0.69

Cost Details (by category): Price **Component Name Component Description** Unit **Quantity Cost** (\$/unit) Equipment/Installation \$6.37 Chainsaw 937 Equipment and power unit costs. Labor not included. Hour 13.2 \$84.08 \$364.91 Tractor, agricultural, 120 HP 962 Agricultural tractor with horsepower range of 90 to 140. Hour \$55.29 6.6 Equipment and power unit costs. Labor not included. Labor General Labor Hour \$20.32 15.8 \$321.06 231 Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. 232 Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, \$22.08 6.6 \$145.73 Equipment Operators, Light Hour Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers